


DS-KD-ACW3 **Accessory Package**



- 3 Surface mounting module brackets of modular door station: includes 3 module frame , 3 module front panel, 1 button cover and some other necessary accessories
- Aviation aluminum high quality material


▪ Specification

General	
Weight	Net weight: 500 g Gross weight: 779 g
Working temperature	-40 °C to 55 °C (-40 °F to 131 °F)
Working humidity	10% to 95%
Dimension (W × H × D)	Cover: 320.8 mm × 107 mm × 4 mm (12.6" × 4.21" × 0.16") Installation Frame: 320.8 mm × 107 mm × 32.7 mm (12.6" × 4.21" × 1.29")
Material	Aviation Aluminum

▪ Available Model

DS-KD-ACW3

▪ Accessory



DS-KD-IN



DS-KD-KK/S



DS-KD-KP



DS-KD-PMR



DS-KABD8003-RS3




DS-KD8003-IME1/NS



DS-KD-DIS



DS-KD8003-IME1(B)/Surface




DS-KD-KK




DS-KA01-ZX-10



DS-KD-KP#EU



DS-KD8003-IME1/S



DS-KD-BK



DS-KD8003Y-IME2



DS-KD8003-IME2/S



DS-KD-KP/S



DS-KD8003-IME2/NS




DS-KD-INFO




DS-KD8003-IME1(B)



DS-KD8003-IME2



DS-KD-M



DS-KD-E



DS-KD8003-IME1

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision_Global



Hikvision
Corporate Channel



hikvisionhq